

Titan Plastic-Strapping

Plastic Strapping for all Purposes.



Titan Plastic-Strapping

Quality made in Germany.

Own Production

Being of uncompromisingly high quality TITAN plastic strapping offers constant and optimal physical and geometrical characteristics.

Most modern production capacities allow immediate availability, spontaneous reaction at customer desires and highest quality standards.

Ambitious Transport Challenges

Plastic straps in many different qualities take care of the ambitious challenges of our customers during storage and transport.

Especially the TITAN PET Strap stands for highest shock resistance on all types of transports.

Qualities and Strap Dimensions

We offer optimally balanced qualities for all applications, whether in hand tools or in fully automatic strapping machines.

We love advising you to guarantee the optimal solution for your load securing.



Titan PET Strapping


Premium special PET Strap for the use in automatic strapping machines or in hand tools, with constricted tolerances.

In contrast to Steel Strapping PET Strapping disposes of more elastic stress-strain behaviour. In alliance with the high tension of a strapping machine or a hand tool a very high retention force is being achieved. This stands for a high, long-lasting strap tension itself. This is especially important for a long warehousing period.

For heavy duty applications, likewise for applications of shrinking packages PET Strapping is in many cases the best solution for your transport security.

Additional, important advantages of PET Strapping:

- The very high mechanical strength is ideal, in combination with the high elongation to withstand shock resistance.
- No corrosion damages on your package. PET Strapping is the ideal solution for outdoor warehousing.
- Perfect cost effectiveness in comparison to other strapping media



Dimensions

Width		Breakload	Coils
mm	inch	N	kg
9 – 19	0.35 – 0.74	2.000 – 11.000	25
			75
			100
			150
			400



Titan PP Strapping

PP is the all-rounder for light duty applications

Transport security of your products is our main goal. For different applications, e.g. timber industry, furniture, card-board, or newspaper, PP Strap for light duty applications is the ideal solution.

Perfect quality, optimum customer's benefit, that's what TITAN stands for.

- Closest process tolerances
- Perfect processing properties
- Optimum oscillation of the coils

These are only a few important arguments for PP Strapping from TITAN.



Dimensions

Width		Breakload	Coil inner diameter	
mm	inch	N	mm	inch
9 – 19	0.35 – 0.74	700 – 4.600	200	7.8
			280	11.0
			406	16.0





TITAN Strapping Systems Asia Pacific Pty Ltd

102-110 Glenroy St Athol Park SA 5012
PO Box 75 Athol Park SA 5012

Phone: +61 (0) 8 8447 4004

Fax: +61 (0) 8 8447 4007

E-Mail: admin@titan-asiapacific.com

Internet: www.titan-schwelm.de